



TRAILER SPECIFICATIONS

About Magic Tilt Trailers

For over 70 years, Magic Tilt Trailers has been helping families, anglers, and adventurers get to the water with confidence. Founded in 1953, we are a family-owned manufacturer dedicated to families and our dealer network; building boat trailers that deliver safety, durability, and peace of mind – mile after mile, launch after launch.



LOAD WITH CONFIDENCE

THIS GUIDE IS TO PROVIDE SPECIFICATIONS
ON OUR TRAILER MODELS



FOR MORE INFO, VISIT <https://portal.magictilt.com>

PREFERRED CUSTOMER OPTIONS

Aluminum Wheel Options



T03 Silver Edge
14", 15", 16"



T07 Silver Avalanche
13" Only



T07BM Black Avalanche
13", 14", 15", 16"



T02 Aluminum Spoke
17.5" Only

Spare Tire Mounts



ML Spare Tire Mount
Mount Only/Hub/Rotor



Pro Spare Mount
Not Available on All Models



Custom Spare Mount
Not Available on All Models



Locking Spare Mount
Not Available on All Models

Other Options



Custom Steps



Transom Tie Downs



Pipe Lights



Guide Pole Covers



FOR MORE INFO, VISIT <https://portal.magictilt.com>

CUSTOM ALUMINUM SERIES



STANDARD FEATURES

- Welded Aluminum Custom Reinforced Tube (CRT) Frame
 - Trailers with 6400lb carrying capacity and higher will be constructed with I-Beam
- Welded Aluminum Crossmembers
- Aluminum Square Tube with Adjustable Clamp-On Bunk Brackets
- Adjustable Undercarriage (T-Slot)
- Stainless Steel Hardware
- Radial Tires with Galvanized Wheels
- Stainless Steel Bearing Protectors with Spindle Seal
- Stoltz Poly Bow Rollers
- Load Bearing Fenders
- PVC Upright Guides
- Tongue Jack
- Fully-Grounded Submersible LED Lighting

FULLY-WELDED TRAILERS CAN BE DESIGNED USING MANUFACTURER'S CAD FILE OR BY 3D SCANNING THE BOAT HULL

ADDITIONAL OPTIONS

Spare Tire /Galvanized Wheel

Description	Part #
ST175/80R 13C	TA11207-1
ST205/75R 14C	TA11208-1
ST215/75R 14C	TA11209-1
ST225/75R 15D	TA11212-1
ST235/85R 16E	TA11214-3

Aluminum Wheel Upgrade

Description	Part #
13" Wheels	TA11302-T07
14" Wheels	TA11304-T03
15" Wheels	TA11308-T03
16" Wheels	TA11321-T03

Other Options

Description	Part #
Custom Step Pads	TA14500
Guide Pole Covers (pair)	TA11970
Retractable Transom Tiedown (Stainless Steel)	TA30098

ML Spare Tire Mount

Description	Part #
Mounting Bracket only (Except 8L)	TA11192
Mount with 5L hub	TA11199
Mount with 6L hub	TA11189
Mount with 8L hub	TA11199-1
Mount with 5L disc	TA11192-1
Mount with 6L disc	TA11192-2
Mount with 8L disc	TA11192-3



FOR MORE INFO, VISIT <https://portal.magictilt.com>

CUSTOM ALUMINUM SERIES

Single Axle Models

Item #	Model	Boat Length	Carry Capacity	Total Width	Total Length	DBF	Tire Size
FA3639	CA1623	14'-16'	2300	102"	18' 3"	84"	ST175/80R13C
FA3626	CA1623N	14'-16'	2300	94"	18' 3"	75"	ST175/80R13C
FA3630	CA1623XN	14'-16'	2300	83"	18' 3"	69"	ST175/80R13C
FA3641	CA1723	15'-17'	2300	102"	20' 2"	84"	ST175/80R13C
FA3635	CA1723N	15'-17'	2300	94"	20' 2"	75"	ST175/80R13C
FA3631	CA1723XN	15'-17'	2300	83"	20' 2"	69"	ST175/80R13C
FA3642	CA1728	15'-17'	2800	102"	20' 2"	84"	ST205/75R14C
FA3636	CA1728N	15'-17'	2800	94"	20' 2"	75"	ST205/75R14C
FA3633	CA1728XN	15'-17'	2800	83"	20' 2"	69"	ST205/75R14C
FA3643	CA1923	18'-19'	2300	102"	22' 2"	84"	ST175/80R13C
FA3637	CA1923N	18'-19'	2300	94"	22' 2"	75"	ST175/80R13C
FA3632	CA1923XN	18'-19'	2300	83"	22' 2"	69"	ST175/80R13C
FA3644	CA1928	18'-19'	2800	102"	22' 2"	84"	ST205/75R14C
FA3638	CA1928N	18'-19'	2800	94"	22' 2"	75"	ST205/75R14C
FA3638-1	CA1928XN	18'-19'	2800	83"	22' 2"	69"	ST205/75R14C
FA3645	CA1931	18'-19'	3100	102"	22' 2"	84"	ST215/75R14C
FA3645-1	CA1931N	18'-19'	3100	94"	22' 2"	75"	ST215/75R14C
FA3646	CA1938	18'-19'	3800	102"	22' 2"	84"	ST225/75R15D
FA3646-1	CA1938N	18'-19'	3800	94"	22' 2"	75"	ST225/75R15D
FA3647	CA2028	18'-20'	2800	102"	23' 2"	84"	ST205/75R14C
FA3634	CA2028N	18'-20'	2800	94"	23' 2"	75"	ST205/75R14C
FA3648	CA2030	18'-20'	3000	102"	23' 2"	84"	ST215/75R14C
FA3649	CA2038	18'-20'	3800	102"	23' 2"	84"	ST225/75R15D
FA3649-1	CA2038N	18'-20'	3800	94"	23' 2"	75"	ST225/75R15D
FA3650	CA2229	20'-22'	2900	102"	25'	84"	ST215/75R14C
FA3651	CA2238	20'-22'	3800	102"	25'	84"	ST225/75R15D

Tandem Axle Models

Item #	Model	Boat Length	Carry Capacity	Total Width	Total Length	DBF	Tire Size
FA3639	CA1623	14'-16'	2300	102"	18' 3"	84"	ST175/80R13C
FA3626	CA1623N	14'-16'	2300	94"	18' 3"	75"	ST175/80R13C
FA3630	CA1623XN	14'-16'	2300	83"	18' 3"	69"	ST175/80R13C
FA3641	CA1723	15'-17'	2300	102"	20' 2"	84"	ST175/80R13C
FA3635	CA1723N	15'-17'	2300	94"	20' 2"	75"	ST175/80R13C
FA3631	CA1723XN	15'-17'	2300	83"	20' 2"	69"	ST175/80R13C
FA3642	CA1728	15'-17'	2800	102"	20' 2"	84"	ST205/75R14C
FA3636	CA1728N	15'-17'	2800	94"	20' 2"	75"	ST205/75R14C
FA3633	CA1728XN	15'-17'	2800	83"	20' 2"	69"	ST205/75R14C
FA3643	CA1923	18'-19'	2300	102"	22' 2"	84"	ST175/80R13C
FA3637	CA1923N	18'-19'	2300	94"	22' 2"	75"	ST175/80R13C
FA3632	CA1923XN	18'-19'	2300	83"	22' 2"	69"	ST175/80R13C
FA3644	CA1928	18'-19'	2800	102"	22' 2"	84"	ST205/75R14C
FA3638	CA1928N	18'-19'	2800	94"	22' 2"	75"	ST205/75R14C
FA3638-1	CA1928XN	18'-19'	2800	83"	22' 2"	69"	ST205/75R14C
FA3645	CA1931	18'-19'	3100	102"	22' 2"	84"	ST215/75R14C
FA3645-1	CA1931N	18'-19'	3100	94"	22' 2"	75"	ST215/75R14C
FA3646	CA1938	18'-19'	3800	102"	22' 2"	84"	ST225/75R15D
FA3646-1	CA1938N	18'-19'	3800	94"	22' 2"	75"	ST225/75R15D
FA3647	CA2028	18'-20'	2800	102"	23' 2"	84"	ST205/75R14C
FA3634	CA2028N	18'-20'	2800	94"	23' 2"	75"	ST205/75R14C
FA3648	CA2030	18'-20'	3000	102"	23' 2"	84"	ST215/75R14C
FA3649	CA2038	18'-20'	3800	102"	23' 2"	84"	ST225/75R15D
FA3649-1	CA2038N	18'-20'	3800	94"	23' 2"	75"	ST225/75R15D
FA3650	CA2229	20'-22'	2900	102"	25'	84"	ST215/75R14C
FA3651	CA2238	20'-22'	3800	102"	25'	84"	ST225/75R15D

Triple Axle Models

Item #	Model	Boat Length	Carry Capacity	Total Width	Total Length	DBF	Tire Size
FA3670	TTCA2690	24'-26'	9000	102"	29' 7"	84"	ST205/75R14C
FA3671	TTCA26130	24'-26'	13000	102"	29' 7"	84"	ST225/75R15D
FA3675	TTCA2890	26'-28'	9000	102"	31' 9"	84"	ST205/75R14C
FA3678	TTCA28130	26'-28'	13000	102"	32'	84"	ST225/75R15D
FA3686	TTCA3190	29'-31'	9000	102"	34'	84"	ST205/75R14C
FA3680	TTCA31130	29'-31'	13000	102"	34'	84"	ST225/75R15D
FA3682	TTCA31160	29'-31'	16000	102"	34'	84"	ST235/75R16E
FA3683	TTCA34130	32'-34'	13000	102"	36' 3"	84"	ST225/75R15D
FA3684	TTCA34160	32'-34'	16000	102"	36' 3"	84"	ST235/75R16E
FA3688	TTCA36170	34'-36'	17000	102"	38' 3"	84"	ST235/75R16E

ADJUSTABLE ALUMINUM SERIES



STANDARD FEATURES

- Aluminum Bolted I-Beam Frame
- Aluminum Crossmembers
- Radial Tires with Galvanized Wheels
- Tongue Jack
- Stainless Steel Hardware
- Stainless Steel Bearing Protectors with Spindle Seal
- Load Bearing Fenders
- PVC Upright Guides
- Fully-Grounded Submersible LED Lighting
- Hundreds of Hull Setups Available

Trailers up to 8600lb capacity are standard with aluminum bunk brackets.

ADDITIONAL OPTIONS

Spare Tire /Galvanized Wheel

Description	Part #
ST175/80R 13C	TA11207-1
ST205/75R 14C	TA11208-1
ST215/75R 14C	TA11209-1
ST225/75R 15D	TA11212-1
ST235/85R 16E	TA11214-3

Aluminum Wheel Upgrade

Description	Part #
13" Wheels	TA11302-T07
14" Wheels	TA11304-T03
15" Wheels	TA11308-T03
16" Wheels	TA11321-T03

Other Options

Description	Part #
Custom Step Pads	TA14500
Guide Pole Covers (pair)	TA11970
Retractable Transom Tiedown (Stainless Steel)	TA30098

ML Spare Tire Mount

Description	Part #
Mounting Bracket only (Except 8L)	TA11192
Mount with 5L hub	TA11199
Mount with 6L hub	TA11189
Mount with 8L hub	TA11199-1
Mount with 5L disc	TA11192-1
Mount with 6L disc	TA11192-2
Mount with 8L disc	TA11192-3



FOR MORE INFO, VISIT <https://portal.magictilt.com>

ADJUSTABLE ALUMINUM SERIES

Single Axle Models

Item #	Model	Boat Length	Carry Capacity	Total Width	Total Length	DBF	Tire Size
FA6004	ALS1617	14'-16'	1700	93"	17' 6"	75"	ST175 / 80R13 C
FA6005	ALS1617N	14'-16'	1700	82"	17' 6"	65"	ST175 / 80R13 C
FA6012	ALS1723	15'-17'	2300	102"	19' 8"	84"	ST175 / 80R13 C
FA6013	ALS1723N	15'-17'	2300	82"	20' 6"	65"	ST175 / 80R13 C
FA6016	ALS1728	15'-17'	2800	102"	19' 8"	84"	ST205 / 75R14 C
FA6018	ALS1728N	15'-17'	2800	82"	19' 8"	65"	ST205 / 75R14 C
FA6020	ALS1923	18'-19'	2300	102"	21' 8"	84"	ST175 / 80R13 C
FA6024	ALS1928	18'-19'	2800	102"	21' 8"	84"	ST205 / 75R14 C
FA6025	ALS1928N	18'-19'	2800	82"	21' 8"	65"	ST205 / 75R14 C
FA6028	ALS1931	18'-19'	3100	102"	21' 8"	84"	ST215 / 75R14 C
FA6030	ALS1938	18'-19'	3800	102"	21' 8"	84"	ST225 / 75R15 D
FA6032	ALS2023	18'-20'	2300	102"	22' 8"	84"	ST175 / 80R13 C
FA6036	ALS2028	18'-20'	2800	102"	22' 8"	84"	ST205 / 75R14 C
FA6040	ALS2030	18'-20'	3000	102"	22' 8"	84"	ST215 / 75R14 C
FA6042	ALS2038	18'-20'	3800	102"	22' 8"	84"	ST225 / 75R15 D
FA6044	ALS2229	20'-22'	2900	102"	25'	84"	ST215 / 75R14 C
FA6046	ALS2235	20'-22'	3500	102"	25'	84"	ST225 / 75R15 D

Tandem Axle Models

Item #	Model	Boat Length	Carry Capacity	Total Width	Total Length	DBF	Tire Size
FA6048	TALS2044	18'-20'	4400	102"	22' 8"	84"	ST175 / 80R13 C
FA6049	TALS2060	18'-20'	6000	102"	22' 8"	84"	ST205 / 75R14 C
FA6056	TALS2244	20'-22'	4400	102"	25'	84"	ST175 / 80R13 C
FA6060	TALS2252	20'-22'	5200	102"	25'	84"	ST205 / 75R14 C
FA6065	TALS2260	20'-22'	6000	102"	25'	84"	ST215 / 75R14 C
FA6068	TALS2452	22'-24'	5200	102"	27'	84"	ST205 / 75R14 C
FA6072	TALS2460	22'-24'	6000	102"	27'	84"	ST215 / 75R14 C
FA6074	TALS2464	22'-24'	6400	102"	27'	84"	ST215 / 75R14 C
FA6078	TALS2486	22'-24'	8600	102"	27'	84"	ST225 / 75R15 D
FA6080	TALS2652	24'-26'	5200	102"	29'	84"	ST205 / 75R14 C
FA6084	TALS2660	24'-26'	6000	102"	29'	84"	ST205 / 75R14 C
FA6086	TALS2664	24'-26'	6400	102"	29'	84"	ST205 / 75R14 C
FA6092	TALS2686	24'-26'	8600	102"	29'	84"	ST225 / 75R15 D
FA6101	TALS26110	24'-26'	11,000	102"	29'	84"	ST235 / 85R16 E
FA6100	TALS2886	26'-28'	8600	102"	32'	84"	ST225 / 75R15 D
FA6102	TALS28110	26'-28'	11,000	102"	32'	84"	ST235 / 85R16 E
FA6115	TALS3185	29'-31'	8,500	102"	35'	84"	ST225 / 75R15 D
FA6117	TALS31110	29'-31'	11,000	102"	35'	84"	ST235 / 85R16 E

Triple Axle Models

Item #	Model	Boat Length	Carry Capacity	Total Width	Total Length	DBF	Tire Size
FA6104	TTALS2690	24'-26'	9000	102"	29'	84"	ST205 / 75R14 C
FA6108	TTALS2890	26'-28'	9000	102"	32'	84"	ST205 / 75R14 C
FA6114	TTALS28130	26'-28'	13,000	102"	32'	84"	ST225 / 75R15 D
FA6116	TTALS3190	29'-31'	9000	102"	35'	84"	ST205 / 75R14 C
FA6123	TTALS31130	29'-31'	13,000	102"	35'	84"	ST225 / 75R15 D
FA6142	TTALS31170	29'-31'	17,000	102"	35'	84"	ST235 / 85R16 E
FA6124	TTALS3490	32'-34'	9000	102"	38'	84"	ST205 / 75R14 C
FA6129	TTALS34130	32'-34'	13,000	102"	38'	84"	ST225 / 75R15 D
FA6146	TTALS34170	32'-34'	17,000	102"	38'	84"	ST235 / 85R16 E
FA6136	TTALS36128	34'-36'	12,800	102"	40'	84"	ST225 / 75R15 D
FA6150	TTALS36170	34'-36'	17,000	102"	40'	84"	ST235 / 85R16 E
FA6138	TTALS38130	36'-38'	13,000	102"	42'	84"	ST225 / 75R15 D
FA6154	TTALS38170	36'-38'	17,000	102"	42'	84"	ST235 / 85R16 E

FLORIDA ALUMINUM SERIES



Images shown are for illustrative purposes only. Actual product may vary.

STANDARD FEATURES

- Aluminum Bolted I-Beam Frame
- Aluminum Crossmembers
- Radial Tires with Galvanized Wheels
- Tongue Jack
- Stainless Steel Hardware
- Stainless Steel Bearing Protectors with Spindle Seal
- Load Bearing Fenders
- PVC Upright Guides
- Fully-Grounded Submersible LED Lighting
- Torsion Axles

ADDITIONAL OPTIONS

Spare Tire /Galvanized Wheel

Description	Part #
ST175/80R 13C	TA11207-1
ST205/75R 14C	TA11208-1
ST215/75R 14C	TA11209-1
ST225/75R 15D	TA11212-1
ST235/85R 16E	TA11214-3

Aluminum Wheel Upgrade

Description	Part #
13" Wheels	TA11302-T07
14" Wheels	TA11304-T03
15" Wheels	TA11308-T03
16" Wheels	TA11321-T03

Other Options

Description	Part #
Custom Step Pads	TA14500
Guide Pole Covers (pair)	TA11970
Retractable Transom Tiedown (Stainless Steel)	TA30098

ML Spare Tire Mount

Description	Part #
Mounting Bracket only (Except 8L)	TA11192
Mount with 5L hub	TA11199
Mount with 6L hub	TA11189
Mount with 8L hub	TA11199-1
Mount with 5L disc	TA11192-1
Mount with 6L disc	TA11192-2
Mount with 8L disc	TA11192-3



FOR MORE INFO, VISIT <https://portal.magictilt.com>

FLORIDA ALUMINUM SERIES

Single Axle Models - NO BRAKES

Item #	Model	Boat Length	Carry Capacity	Total Width	Total Length	DBF	Tire Size
FLA1617T	FLA1617T	14'-16'	1700	93"	17' 6"	75"	ST175 / 80R13 C
FLA1723T	FLA1723T	15'-17'	2300	102"	19' 8"	84"	ST175 / 80R13 C
FLA1728T	FLA1728T	15'-17'	2800	102"	19' 8"	84"	ST205 / 75R14 C
FLA1728NT	FLA1728NT	15'-17'	2800	102"	19' 8"	65"	ST205 / 75R14 C
FLA1923T	FLA1923T	18'-19'	2300	102"	21' 8"	84"	ST175 / 80R13 C
FLA1928T	FLA1928T	18'-19'	2800	102"	21' 8"	84"	ST205 / 75R14 C
FLA1928NT	FLA1928NT	18'-19'	2801	102"	21' 8"	65"	ST205 / 75R14 C
FLA1931T	FLA1931T	18'-19'	3100	102"	21' 8"	84"	ST215 / 75R14 C
FLA2023T	FLA2023T	18'-20'	2300	102"	22' 8"	84"	ST175 / 80R13 C
FLA2028T	FLA2028T	18'-20'	2800	102"	22' 8"	84"	ST205 / 75R14 C

Single Axle Models w/Brakes

Item #	Model	Boat Length	Carry Capacity	Total Width	Total Length	DBF	Tire Size
FLA1728TB	FLA1728TB	15'-17'	2800	102"	19' 8"	84"	ST205 / 75R14 C
FLA1928TB	FLA1928TB	18'-19'	2800	102"	21' 8"	84"	ST205 / 75R14 C
FLA1931TB	FLA1931TB	18'-19'	3100	102"	21' 8"	84"	ST215 / 75R14 C
FLA1938TB	FLA1938TB	18'-19'	3800	102"	21' 8"	84"	ST225 / 75R15 D
FLA2028TB	FLA2028TB	18'-20'	2800	102"	22' 8"	84"	ST205 / 75R14 C
FLA2030TB	FLA2030TB	18'-20'	3000	102"	22' 8"	84"	ST215 / 75R14 C
FLA2038TB	FLA2038TB	18'-20'	3800	102"	22' 8"	84"	ST225 / 75R15 D
FLA2229TB	FLA2229TB	20'-22'	2900	102"	25'	84"	ST215 / 75R14 C
FLA2238TB	FLA2238TB	20'-22'	3500	102"	25'	84"	ST225 / 75R15 D

Tandem Axle Models w/Brakes

Item #	Model	Boat Length	Carry Capacity	Total Width	Total Length	DBF	Tire Size
FLA2044TB2	FLA2044TB2	18'-20'	4400	102"	22' 8"	84"	ST175 / 80R13 C
FLA2244TB2	FLA2244TB2	20'-22'	4400	102"	25'	84"	ST175 / 80R13 C
FLA2252TB2	FLA2252TB2	20'-22'	5200	102"	25'	84"	ST205 / 75R14 C
FLA2260TB2	FLA2260TB2	20'-22'	6000	102"	25'	84"	ST215 / 75R14 C
FLA2452TB2	FLA2452TB2	22'-24'	5200	102"	27'	84"	ST205 / 75R14 C
FLA2460TB2	FLA2460TB2	22'-24'	6000	102"	27'	84"	ST215 / 75R14 C
FLA2464TB2	FLA2464TB2	22'-24'	6400	102"	27'	84"	ST215 / 75R14 C
FLA2486TB2	FLA2486TB2	22'-24'	8600	102"	27'	84"	ST225 / 75R15 D
FLA2652TB2	FLA2652TB2	24'-26'	5200	102"	29'	84"	ST205 / 75R14 C
FLA2660TB2	FLA2660TB2	24'-26'	6000	102"	29'	84"	ST205 / 75R14 C
FLA2664TB2	FLA2664TB2	24'-26'	6400	102"	29'	84"	ST205 / 75R14 C
FLA2686TB2	FLA2686TB2	24'-26'	8600	102"	29'	84"	ST225 / 75R15 D
FLA26110TB2	FLA26110TB2	24'-26'	11,000	102"	29'	84"	ST235 / 85R16 E
FLA2886TB2	FLA2886TB2	26'-28'	8600	102"	32'	84"	ST225 / 75R15 D
FLA28110TB2	FLA28110TB2	26'-28'	11,000	102"	32'	84"	ST235 / 85R16 E
FLA31110TB2	FLA31110TB2	29'-31'	11,000	102"	35'	84"	ST235 / 85R16 E

Triple Axle Models w/Brakes

Item #	Model	Boat Length	Carry Capacity	Total Width	Total Length	DBF	Tire Size
FLA2690TB3	FLA2690TB3	24'-26'	9000	102"	29'	84"	ST205 / 75R14 C
FLA2890TB3	FLA2890TB3	26'-28'	9000	102"	32'	84"	ST205 / 75R14 C
FLA28130TB3	FLA28130TB3	26'-28'	13,000	102"	32'	84"	ST225 / 75R15 D
FLA3190TB3	FLA3190TB3	29'-31'	9000	102"	35'	84"	ST205 / 75R14 C
FLA31130TB3	FLA31130TB3	29'-31'	13,000	102"	35'	84"	ST225 / 75R15 D
FLA31170TB3	FLA31170TB3	29'-31'	17,000	102"	35'	84"	ST235 / 85R16 E
FLA3490TB3	FLA3490TB3	32'-34'	9000	102"	38'	84"	ST205 / 75R14 C
FLA34130TB3	FLA34130TB3	32'-34'	13,000	102"	38'	84"	ST225 / 75R15 D
FLA34170TB3	FLA34170TB3	32'-34'	17,000	102"	38'	84"	ST235 / 85R16 E
FLA36170TB3	FLA36170TB3	34'-36'	17,000	102"	40'	84"	ST235 / 85R16 E
FLA38170TB3	FLA38170TB3	36'-38'	17,000	102"	42'	84"	ST235 / 85R16 E
FLA2686TB2	FLA2686TB2	24'-26'	8600	102"	29'	84"	ST225 / 75R15 D
FLA26110TB2	FLA26110TB2	24'-26'	11,000	102"	29'	84"	ST235 / 85R16 E
FLA2886TB2	FLA2886TB2	26'-28'	8600	102"	32'	84"	ST225 / 75R15 D
FLA28110TB2	FLA28110TB2	26'-28'	11,000	102"	32'	84"	ST235 / 85R16 E
FLA31110TB2	FLA31110TB2	29'-31'	11,000	102"	35'	84"	ST235 / 85R16 E

MAGIC TILT SERIES



Images shown are for illustrative purposes only. Actual product may vary.

STANDARD FEATURES

- Welded Aluminum I-Beam Frame
- Welded Aluminum Crossmembers
- Radial Tires with Galvanized Wheels
- Electric Over Hydraulic Brakes
- Stainless Steel Hardware
- Double Tail Lights
- Stainless Steel Bearing Protectors with Spindle Seal
- Load Bearing Fenders with UHMW Fender Pads
- PVC Upright Guides
- Fully-Grounded Submersible LED Lighting
- Dexter 8k or 10k Torsion Axles
- 3" x 8" x 9' Bow Boards

Item #	Model	Boat Length	Carry Capacity	Total Width	Total Length	DBF	Tire Size
FA1492	TTML40205	38' - 40'	20,500	114"	46' 10"	90"	215/75R 17.5
FA1493	TTML40250	38' - 40'	25,000	114"	46' 10"	90"	235/75R 17.5
FA1498	TTML45205	43' - 45'	20,500	114"	51' 10"	90"	215/75R 17.5
FA1499	TTML45250	43' - 45'	25,000	114"	51' 10"	90"	235/75R 17.5

ADDITIONAL OPTIONS

Spare Tire /Galvanized Wheel

Description	Part #
215/75R 17.5 8L (5/8" Stud)	TA11214-2
235/75R 17.5 8L (5/8" Stud)	TA11214-4

Aluminum Wheel Upgrade

Description	Part #
215/75R 17.5 8L (5/8" Stud)	TA11332-T02
235/75R 17.5 8L (5/8" Stud)	TA11333-T02

ML Tire Mount

Description	Part #
8K DISC	TA11187
10K DISC	TA11185-2

Other Options

Description	Part #
Gooseneck upgrade	TA19920
Retractable Transom Tiedown (Stainless Steel)	TA30098

ML Double Tire Mount

Description	Part #
8K DISC	TA11187-1
10K DISC	TA11185-4



FOR MORE INFO, VISIT <https://portal.magictilt.com>

ALUMINUM CHANNEL LITE SERIES



Images shown are for illustrative purposes only. Actual product may vary.

STANDARD FEATURES

- Welded Aluminum Channel Frame (except CA1616)
- Welded Aluminum Crossmembers (except CA1616)
- Bias Tires with Galvanized Wheels (except CA1616)
- Stainless Steel Bearing Protectors with Spindle Seal
- Stainless Steel Hardware
- Composite Fenders
- PVC Upright Guides (CA1616 ONLY)
- Fully-Grounded Submersible LED Lighting
- Zero Degree Torsion Axle
- Tongue Jack

Item #	Model	Boat Length	Carry Capacity	Total Width	Total Length	DBF	Tire Size
FA3616	CA1412	13' - 14'	1200	60"	202"	46"	480X12B
FA3617	CA1415	13' - 14'	1500	60"	202"	46"	480X12C
FA3615-1	CA1515	14' - 15'	1500	76"	226"	62"	480X12C
FA3618-1	CA1616	15' - 16'	1600	83"	238"	65"	175/80R 13C


ADDITIONAL OPTIONS

Description	Part #
UPGRADE 12" TIRES TO 13" TIRES	TA11260
UPGRADE 13" TIRES TO 14" TIRES CA1616 ONLY	TA11261
UPGRADE TO VEE CROSSMEMBERS ON CA1616 ONLY	TA29999



FOR MORE INFO, VISIT <https://portal.magictilt.com>

ALUMINUM SKIFF SERIES



Images shown are for illustrative purposes only. Actual product may vary.

STANDARD FEATURES

- Welded Aluminum Custom Reinforced Tube (CRT)
- Aluminum Welded Crossmembers
- Radial Tires with Galvanized Wheels (Except 12")
- Adjustable Undercarriage (T-Slot)
- Stainless Steel Hardware
- Stainless Steel Bearing Protectors with Spindle Seal
- Carpeted Side Guides
- Load Bearing Fenders (Except 12")
- Skiff Bow Rollers
- Fully-Grounded Submersible LED Lighting
- Tongue Jack

ADDITIONAL OPTIONS

Spare Tire / Galvanized Wheel

Description	Part #
ST175/80R 13C	TA11207-1
ST205/75R 14C	TA11208-1
ST215/75R 14C	TA11209-1
ST225/75R 15D	TA11212-1

Other Options

Description	Part #
Custom Step Pads	TA14500
Guide Pole Covers (pair)	TA11970
Retractable Transom Tiedown (Stainless Steel)	TA30098

Aluminum Wheel Upgrade

Description	Part #
13" Wheels	TA11302-T07
14" Wheels	TA11304-T03
15" Wheels	TA11308-T03

Bow Roller Options

Description	Part #
3" Yellow Bow Roller	TA11452-8
8" Poly Rollers	TA11452-9

"V" Crossmembers

Description	Part #
ALSK/TALSK	TA30330

ML Spare Tire Mount

Description	Part #
Mounting Bracket only (Except 8L)	TA11192
Mount with 5L hub	TA11199
Mount with 6L hub	TA11189
Mount with 8L hub	TA11199-1
Mount with 5L disc	TA11192-1
Mount with 6L disc	TA11192-2



FOR MORE INFO, VISIT <https://portal.magictilt.com>

ALUMINUM SKIFF SERIES

Single Axle Models

Item #	Model	Boat Length	Carry Capacity	Total Width	Total Length	DBF	Tire Size
FA9025	ALSK1612	16'	1200	67"	18' 8"	51"	480X12B
FA9027	ALSK1615	16'	1500	70"	18' 8"	55"	ST175 / 80R 13 C
FA9028	ALSK1615W	16'	1500	88"	18' 9"	70"	ST175 / 80R 13 C
FA9029	ALSK1617	16'-18'	1700	74"	21' 6"	58.5"	ST175 / 80R 13 C
FA9026	ALSK1617W	16'-18'	1700	88"	21' 6"	70"	ST175 / 80R 13 C
FA9031	ALSK1723	16'-18'	2300	102"	20' 6"	84"	ST175 / 80R 13 C
FA9030	ALSK1723N	16'-18'	2300	93"	20' 6"	75"	ST175 / 80R 13 C
FA9024	ALSK1723XN	16'-18'	2300	88"	20' 6"	70"	ST175 / 80R 13 C
FA9035	ALSK1728	16'-18'	2800	102"	20' 6"	84"	ST205 / 75R 14 C
FA9021	ALSK1728N	16'-18'	2800	93"	20' 6"	75"	ST205 / 75R 14 C
FA9020	ALSK1728XN	16'-18'	2800	88"	20' 6"	70"	ST205 / 75R 14 C
FA9023	ALSK1923N	18'-19'	2300	93"	21' 6"	75"	ST175 / 80R 13 C
FA9032	ALSK1923XN	18'-19'	2300	88"	21' 6"	70"	ST175 / 80R 13 C
FA9036	ALSK1928	18'-19'	2800	102"	21' 6"	84"	ST205 / 75R 14 C
FA9034	ALSK1928N	18'-19'	2800	93"	21' 6"	75"	ST205 / 75R 14 C
FA9033	ALSK1928XN	18'-19'	2800	88"	21' 6"	70"	ST205 / 75R 14 C
FA9040	ALSK2028	18'-20'	2800	102"	24'	84"	ST205 / 75R 14 C
FA9038	ALSK2028N	18'-20'	2800	93"	24'	75"	ST205 / 75R 14 C
FA9039	ALSK2028XN	18'-20'	2800	88"	24'	70"	ST205 / 75R 14 C
FA9041	ALSK2030	18'-20'	3000	102"	24'	84"	ST215 / 75R 14 C
FA9064	ALSK2038	18'-20'	3800	102"	24'	84"	ST225 / 75R15 D
FA9065	ALSK2038N	18'-20'	3800	93"	24'	75"	ST225 / 75R15 D
FA9043	ALSK2229	20'-22'	2900	102"	25' 6"	84"	ST205 / 75R 14 C
FA9049	ALSK2429	22'-24'	2900	102"	26' 6"	84"	ST205 / 75R 14 C

Tandem Axle Models

Item #	Model	Boat Length	Carry Capacity	Total Width	Total Length	DBF	Tire Size
FA9060	TALSK2044	18'-20'	4400	102"	23' 10"	84"	ST175 / 80R 13 C
FA9062	TALSK2044N	18'-20'	4400	93"	23' 10"	75"	ST175 / 80R 13 C
FA9042	TALSK2244	20'-22'	4400	102"	25' 6"	84"	ST175 / 80R 13 C
FA9044	TALSK2244N	20'-22'	4400	93"	25' 6"	75"	ST175 / 80R 13 C
FA9046	TALSK2252	20'-22'	5200	102"	25' 6"	84"	ST205 / 75R 14 C
FA9048	TALSK2252N	20'-22'	5200	93"	25' 6"	75"	ST205 / 75R 14 C
FA9047	TALSK2260	20'-22'	6000	102"	25' 6"	84"	ST205 / 75R 14 C
FA9052	TALSK2440	22'-24'	4000	102"	24'	84"	ST175 / 80R 13 C
FA9050	TALSK2452	22'-24'	5200	102"	26' 6"	84"	ST205 / 75R 14 C
FA9051	TALSK2452N	22'-24'	5200	93"	26' 10"	75"	ST205 / 75R 14 C
FA9055	TALSK2652	24'-26'	5200	102"	28' 10"	84"	ST205 / 75R 14 C
FLA2686TB2	FLA2686TB2	24'-26'	8600	102"	29'	84"	ST225 / 75R15 D
FLA26110TB2	FLA26110TB2	24'-26'	11,000	102"	29'	84"	ST235 / 85R16 E
FLA2886TB2	FLA2886TB2	26'-28'	8600	102"	32'	84"	ST225 / 75R15 D
FLA28110TB2	FLA28110TB2	26'-28'	11,000	102"	32'	84"	ST235 / 85R16 E
FLA31110TB2	FLA31110TB2	29'-31'	11,000	102"	35'	84"	ST235 / 85R16 E

ALUMINUM SKT SERIES



Images shown are for illustrative purposes only. Actual product may vary.

STANDARD FEATURES

- Welded Aluminum Custom Reinforced Tube (CRT)
- Aluminum Welded Crossmembers
- Radial Tires with Galvanized Wheels (Except 12")
- Adjustable Undercarriage (T-Slot)
- Stainless Steel Hardware
- Stainless Steel Bearing Protectors with Spindle Seal
- Carpeted Side Guides
- Load Bearing Fenders (Except 12")
- Skiff Bow Rollers
- Fully-Grounded Submersible LED Lighting
- Tongue Jack

ADDITIONAL OPTIONS

Spare Tire / Galvanized Wheel

Description	Part #
480 x 12B	TA11201-2
ST175/80R 13C	TA11207-1
ST205/75R 14C	TA11208-1
ST215/75R 14C	TA11209-1
ST225/75R 15D	TA11212-1

Aluminum Wheel Upgrade

Description	Part #
13" Wheels	TA11302-T07
14" Wheels	TA11304-T03
15" Wheels	TA11308-T03

Bow Roller Options

Description	Part #
3" Yellow Bow Roller	TA11452-8
8" Poly Rollers	TA11452-9

Bunk Bracket Upgrade

Description	Part #
8" bunk bracket (each)	TA11791-1
10" bunk bracket (each)	TA11791

Plastic Covers for Bunks (Per Pair)

Description	Part #
SKT16	TA30284
SKT18	TA30285
SKT20	TA30286
SKT22	TA30287

4-Board Setup (Upright)

Description	Part #
SKT16	TA30295
SKT18	TA30296
SKT20	TA30297
SKT22	TA30298

ML Spare Tire Mount

Description	Part #
Mounting Bracket only (Except 8L)	TA11192
Mount with 5L hub	TA11199
Mount with 6L hub	TA11189
Mount with 8L hub	TA11199-1
Mount with 5L disc	TA11192-1
Mount with 6L disc	TA11192-2

Other Options

Description	Part #
Custom Step Pads	TA14500
Retractable Transom Tiedown (Stainless Steel)	TA30098



FOR MORE INFO, VISIT <https://portal.magictilt.com>

ALUMINUM SKT SERIES

Single Axle Models

Item #	Model	Boat Length	Carry Capacity	Total Width	Total Length	DBF	Tire Size
FA8950	SKT1651A	15' - 16'	1200	67"	19' 3"	51"	480 X 12B
FA8952	SKT1651A	15' - 16'	1500	74"	19' 3"	54"	ST175 / 80R 13 C
FA8955	SKT1660A	15' - 16'	1200	76"	19'	64"	480 X 12B
FA8958	SKT1660A	15' - 16'	1500	83"	19'	64"	ST175 / 80R 13 C
FA8938	SKT1665A	15' - 16'	1500	87"	19'	69"	ST175 / 80R 13 C
FA8941	SKT1665A	15' - 16'	1500	87"	19'	69"	ST205 / 75R 14 C
FA8944	SKT1670A	15' - 16'	1500	94"	19'	76"	ST175 / 80R 13 C
FA8960	SKT1851A	17' - 18'	1200	67"	21'	51"	480 X 12B
FA8962	SKT1851A	17' - 18'	1700	74"	21'	54"	ST175 / 80R 13 C
FA8963	SKT1851A	17' - 18'	2800	74"	21'	54"	ST205 / 75R 14 C
FA8965	SKT1860A	17' - 18'	2300	83"	21'	64"	ST175 / 80R 13 C
FA8968	SKT1860A	17' - 18'	2800	83"	21'	64"	ST205 / 75R 14 C
FA8939	SKT1865A	17' - 18'	2300	87"	21'	69"	ST175 / 80R 13 C
FA8940	SKT1865A	17' - 18'	2800	87"	21'	69"	ST205 / 75R 14 C
FA8966	SKT1870A	17' - 18'	2300	94"	21'	76"	ST175 / 80R 13 C
FA8969	SKT1870A	17' - 18'	2800	94"	21'	76"	ST205 / 75R 14 C
FA8985	SKT1876A	17'-18'	2800	100"	21'	TBA	ST205 / 75R 14 C
FA8980	SKT2051A	20'	2300	67"	23' 3"	51"	ST175 / 80R 13 C
FA8970	SKT2060A	20'	2300	83"	23'	64"	ST175 / 80R 13 C
FA8972	SKT2060A	20'	2800	83"	23'	64"	ST205 / 75R 14 C
FA8975	SKT2070A	20'	2300	94"	22' 10"	76"	ST175 / 80R 13 C
FA8978	SKT2070A	20'	2800	94"	22' 10"	76"	ST205 / 75R 14 C
FA8979	SKT2070A	20'	3800	94"	22' 10"	76"	ST225 / 75R15 D
FA8982	SKT2260A	22'	2800	83"	TBA	64"	ST205 / 75R 14 C
FA8981	SKT2270A	22'	3800	94"	TBA	76"	ST225 / 75R15 D

ALUMINUM AIRBOAT SERIES



STANDARD FEATURES

- Welded Aluminum I-Beam Frame
- Welded Aluminum Crossmembers
- Radial Tires with Galvanized Wheels
- Tongue Jack
- Torsion Axle Suspension
- Stainless Steel Bearing Protectors with Spindle Seal
- Load Bearing Fenders
- Carpeted Bow Stop
- Carpeted Side Guides
- Fully-Grounded Submersible LED Lighting

ADDITIONAL OPTIONS

Spare Tire / Galvanized Wheel

Description	Part #
ST175/80R 13C	TA11207-1
ST205/75R 14C	TA11208-1
ST225/75R 15D	TA11212-1

Aluminum Wheel Upgrade

Description	Part #
13" Wheels	TA11302-T07
14" Wheels	TA11304-T03
15" Wheels	TA11308-T03
16" Wheels	TA11321-T03

Other Options

Description	Part #
Triple Roller Assy (Rear)	TA31326
Grass Rake Winch Post	TA30005
Custom Step Pads	TA14500
Guide Pole Covers (pair)	TA11970
Retractable Transom Tiedown (Stainless Steel)	TA30098

ML Spare Tire Mount

Description	Part #
Mounting Bracket only (Except 8L)	TA11192
Mount with 5L hub	TA11199
Mount with 6L hub	TA11189
Mount with 8L hub	TA11199-1
Mount with 5L disc	TA11192-1
Mount with 6L disc	TA11192-2
Mount with 8L disc	TA11192-3



FOR MORE INFO, VISIT <https://portal.magictilt.com>

ALUMINUM AIRBOAT SERIES

Single Axle Models

Item #	Model	Boat Length	Carry Capacity	Total Width	Total Length	DBF	Tire Size
FA7527	WA1079	10' - 13'	2300	102"	18'	86"	ST175 / 80R 13 C
FA7551	WA1079	10' - 13'	2800	102"	18'	86"	ST205 / 75R 14 C
FA7528	WA1086	10' - 13'	2300	109"	18'	92"	ST175 / 80R 13 C
FA7528-1	WA1086R	10' - 13'	2300	109"	18'	92"	ST175 / 80R 13 C
FA7552	WA1086	10' - 13'	2800	109"	18'	92"	ST205 / 75R 14 C
FA7531	WA1379	13' - 16'	2300	102"	21'	86"	ST175 / 80R 13 C
FA7531-1	WA1379R	13' - 16'	2300	102"	21'	86"	ST175 / 80R 13 C
FA7555	WA1379	13' - 16'	2800	102"	21'	86"	ST205 / 75R 14 C
FA7554	WA1379	13' - 16'	3500	102"	21'	86"	ST225 / 75R 15D
FA7535	WA1386	13' - 16'	2300	109"	21'	92"	ST175 / 80R 13 C
FA7556	WA1386	13' - 16'	2800	109"	21'	92"	ST205 / 75R 14 C
FA7556-1	WA1386R	13' - 16'	2800	109"	21'	92"	ST205 / 75R 14 C
FA7546	WA1686	16' - 19'	2800	109"	24'	92"	ST205 / 75R 14 C
FA7566-4	WA1686R	16' - 19'	2800	109"	24'	92"	ST205 / 75R 14 C
FA7547	WA1686	16' - 19'	3500	109"	24'	92"	ST225 / 75R 15D
FA7567-4	WA1692	16' - 19'	3500	109"	24'	98"	ST225 / 75R 15D

Tandem Axle Models

Item #	Model	Boat Length	Carry Capacity	Total Width	Total Length	DBF	Tire Size
FA7527	WA1079	10' - 13'	2300	102"	18'	86"	ST175 / 80R 13 C
FA7561-2	TWA1379R	13' - 16'	4400	102"	21'	86"	ST205 / 75R 14 C
FA7536	TWA1386	13' - 16'	4400	109"	21'	92"	ST175 / 80R 13 C
FA7562	TWA1386	13' - 16'	4400	109"	21'	92"	ST205 / 75R 14 C
FA7564	TWA1392	13' - 16'	4400	120"	21'	98"	ST205 / 75R 14 C
FA7541	TWA1679	16' - 19'	4400	102"	24'	86"	ST175 / 80R 13 C
FA7565	TWA1679	16' - 19'	4400	102"	24'	86"	ST205 / 75R 14 C
FA7543	TWA1686	16' - 19'	4400	109"	24'	92"	ST175 / 80R 13 C
FA7566	TWA1686	16' - 19'	4400	109"	24'	92"	ST205 / 75R 14 C
FA7566-1	TWA1686R	16' - 19'	4400	109"	24'	92"	ST205 / 75R 14 C
FA7567	TWA1692	16' - 19'	4400	120"	24'	98"	ST205 / 75R 14 C

ALUMINUM CATAMARAN SERIES



Images shown are for illustrative purposes only. Actual product may vary.

STANDARD FEATURES

- Welded Aluminum I-Beam Frame
- Welded Aluminum Crossmembers
- Torsion Axle Suspension (22' and up)
- Radial Tires with Galvanized Wheels
- UHMW Covered Bunks on Front Portion of Trailer
- Stainless Steel Hardware
- Stainless Steel Bearing Protectors with Spindle Seal
- Aluminum Bow Stop w/Boarding Ladder
- Load Bearing Fenders
- Tunnel Guides
- Tongue Jack
- Fully-Grounded Submersible LED Lighting

ADDITIONAL OPTIONS

Spare Tire /Galvanized Wheel

Description	Part #
ST175/80R 13C	TA11207-1
ST205/75R 14C	TA11208-1
ST215/75R 14C	TA11209-1
ST225/75R 15D	TA11212-1
ST235/85R 16E	TA11214-3

Aluminum Wheel Upgrade

Description	Part #
13" Wheels	TA11302-T07
14" Wheels	TA11304-T03
15" Wheels	TA11308-T03
16" Wheels	TA11321-T03

Other Options

Description	Part #
Amber marker lights(pair)	TA11492
Add PVC Guide Poles	TA11440
Retractable Transom Tiedown (Stainless Steel)	TA30098

ML Spare Tire Mount

Description	Part #
Mounting Bracket only (Except 8L)	TA11192
Mount with 5L hub	TA11199
Mount with 6L hub	TA11189
Mount with 8L hub	TA11199-1
Mount with 5L disc	TA11192-1
Mount with 6L disc	TA11192-2
Mount with 8L disc	TA11192-3



FOR MORE INFO, VISIT <https://portal.magictilt.com>

ALUMINUM CATAMARAN SERIES

GLACIER BAY

Item #	Model	Tire Size	Total Width	Total Length
FA5406	GLACIER BAY 220/230	ST215/75R 14C	98"	29'
FA5408	GLACIER BAY 220/230	ST225/75R 15D	TBA	TBA
FA5407	GLACIER BAY 2260 [63" SPONSON C/L]	ST215/75R 14C	TBA	TBA
FA5409	GLACIER BAY 2260 [63" SPONSON C/L]	ST225/75R 15D	TBA	TBA
FA5410	GLACIER BAY 260/270-8200 TANDEM	ST225/75R 15D	100"	35'
FA5412	GLACIER BAY 260/270-10000 TANDEM	ST235/85R 16E	TBA	TBA
FA5420	GLACIER BAY 260/270-9000 TRIPLE	ST205/75R 14C	100"	35'
FA4482	GLACIER BAY 3470 17000	ST235/85R 16E	TBA	TBA

INVINCIBLE

Item #	Model	Tire Size
FA3841	INVINCIBLE 33 CAT [22] 17000	ST235/85R 16E

PRO CAT

Item #	Model	Tire Size
FA4404	PRO KAT 20-2900 A	ST215/75R 14C
FA4416	PRO SPORT 2150 BAY KAT	ST175/80R 13C
FA4400	TPK 22-6150 CC	ST215/75R 14C
FA4418	TPK2360/2560-8200	ST225/75R 15D
FA4414	TPK 2650-8200 ACC/WA [-2000]	ST225/75R 15D
FA4420	TTPK2660/2860-9200 [01-07]	ST215/75R 14C
FA4450	TTPK3660-18000	ST235/85R 16E



TWIN VEE

Note - Most models below are good up through 2019 model year

Item #	Model	Tire Size
FA3175	TWIN VEE 19/190 [No UHMW or Boarding Ladder]	ST205/75R 14C
FA3195	TWIN VEE 20/200 SINGLE	ST205/75R 14C
FA3196	TWIN VEE 20/200 TANDEM	ST175/80R 13C
FA3213	TWIN VEE 22 BAY CLASSIC	ST215/75R 14C
FA3211	TWIN VEE 22/220 BAY SINGLE	ST225/75R 15D
FA3212	TWIN VEE 22/220 BAY TANDEM	ST175/80R 13C
FA3202	TWIN VEE 22/225	ST205/75R 14C
FA3203	TWIN VEE 23A	ST215/75R 14C
FA3180	TWIN VEE 240 GFX	ST215/75R 14C
FA3205	TWIN VEE 26/260 [4-STR WA]	ST215/75R 14C
FA3204	TWIN VEE 26/260 [-21]	ST225/75R 15D
FA3182	TWIN VEE 260 GFX	ST225/75R 15D
FA3185	TWIN VEE 280 GFX	ST235/85R 16E
FA3207	TWIN VEE 29/31/310 TANDEM	ST235/85R 16E
FA3206	TWIN VEE 29/31/310 TRIPLE	ST225/75R 15D
FA3208-1	TWIN VEE 32/320	ST225/75R 15D
FA3210-1	TWIN VEE 36	ST235/85R 16E
FA3214	TWIN VEE 400	235/75R 17.5

WORLD CAT

Item #	Model	Tire Size	Total Width	Total Length
FA3279-1	WORLD CAT 23/230-6600	ST215/75R 14C	TBA	TBA
FA3903	TWC235TE -8200 15D	ST225/75R 15D	TBA	TBA
FA3899	TWC220-6600	ST215/75R 14C	92"	29'
FA3900	TWC220-7180	ST225/75R 15D	94"	29'
FA3906	TWC246/255-8200	ST225/75R 15D	95"	32'
FA3915	TWC266/270 -8200 SC	ST225/75R 15D	95"	35'
FA3910	TWC266/270 -8200 SF	ST225/75R 15D	95"	35'
FA3908	TWC260CC [22] 11000	ST235/85R 16E	TBA	TBA
FA3920	TTWC266/270-9000	ST205/75R 14C	95"	35'
FA3921	TTWC280 -13000	ST225/75R 15D	TBA	TBA
FA3923	TTWC29/290/295-13000	ST225/75R 15D	TBA	TBA
FA3927	TTWC32/320/325-15000	ST235/85R 16E	TBA	TBA
FA3925	TTWC33-15000	ST235/85R 16E	108"	41'
FA3929	TTWC400 - 20.5K	215/75R 17.5	TBA	TBA

GALVANIZED MC SERIES



Images shown are for illustrative purposes only. Actual product may vary.

STANDARD FEATURES

- Welded Galvanized Channel Frame
- Radial Tires with Galvanized Wheels
- Galvanized Hardware
- Tongue Jack
- Stainless Steel Bearing Protectors with Spindle Seal
- Load Bearing Fenders
- Fully-Grounded Submersible LED Lighting

ADDITIONAL OPTIONS

Spare Tire /Galvanized Wheel

Description	Part #
ST175/80R 13C	TA11207-1
ST205/75R 14C	TA11208
ST215/75R 14C	TA11209
ST225/75R 15D	TA11212

Spare Tire Mount

Description	Part #
Locking Mount	TA11190
Custom Mount	TA11191

Guides

Description	Part #
3' Econo Boards	TA11550
3' Heavy Duty Boards	TA11585-1
6' Heavy Duty Boards	TA11595
PVC Upright Guide Poles	TA11442

Flat or V Frames Available



FOR MORE INFO, VISIT <https://portal.magictilt.com>

GALVANIZED MC SERIES

Single Axle Models

Item #	Model	Boat Length	Carry Capacity	Total Width	Total Length	DBF	Tire Size
BG0421	MCF1517N	15' - 17'	2000	87"	20' 5"	72"	ST175 / 80R 13C
BG0420	MCV1517N	15' - 17'	2140	87"	20' 5"	72"	ST175 / 80R 13C
BG0021	MCF1517	15' - 17'	2120	93"	20' 5"	77"	ST175 / 80R 13C
BG0020	MCV1517	15' - 17'	2120	93"	20' 5"	77"	ST175 / 80R 13C
BG0031	MCF1517	15' - 17'	2900	93"	20' 5"	77"	ST205 / 75R 14C
BG0030	MCV1517	15' - 17'	2900	93"	20' 5"	77"	ST205 / 75R 14C
BG0329	MCF1517W	15' - 17'	2890	93"	20' 5"	84"	ST205 / 75R 14C
BG0332	MCV1517W	15' - 17'	2890	93"	20' 5"	84"	ST205 / 75R 14C
BG0051	MCF1719N	17' - 19'	2110	93"	21' 5"	77"	ST175 / 80R 13C
BG0050	MCV1719N	17' - 19'	2110	93"	21' 5"	77"	ST175 / 80R 13C
BG0061	MCF1719N	17' - 19'	2890	93"	21' 5"	77"	ST205 / 75R 14C
BG0060	MCV1719N	17' - 19'	2890	93"	21' 5"	77"	ST205 / 75R 14C
BG0301	MCF1719N	17' - 19'	3200	93"	21' 5"	77"	ST215 / 75R 14C
BG0300	MCV1719N	17' - 19'	3200	93"	21' 5"	77"	ST215 / 75R 14C
BG0056	MCF1719	17' - 19'	2110	100"	21' 5"	84"	ST175 / 80R 13C
BG0055	MCV1719	17' - 19'	2110	100"	21' 5"	84"	ST175 / 80R 13C
BG0066	MCF1719	17' - 19'	2890	100"	21' 5"	84"	ST205 / 75R 14C
BG0065	MCV1719	17' - 19'	2890	100"	21' 5"	84"	ST205 / 75R 14C
BG0306	MCF1719	17' - 19'	3200	100"	21' 5"	84"	ST215 / 75R 14C
BG0305	MCV1719	17' - 19'	3200	100"	21' 5"	84"	ST215 / 75R 14C
BG0311	MCF1719	17' - 19'	3500	100"	21' 5"	84"	ST225 / 75R 15D
BG0310	MCV1719	17' - 19'	3500	100"	21' 5"	84"	ST225 / 75R 15D
BG0315-1	MCF1921N	19' - 21'	2750	93"	23' 8"	77"	ST205 / 75R 14C
BG0315	MCV1921N	19' - 21'	2750	93"	23' 8"	77"	ST205 / 75R 14C
BG0319	MCF1921N	19' - 21'	3060	93"	23' 8"	77"	ST215 / 75R 14C
BG0318	MCV1921N	19' - 21'	3060	93"	23' 8"	77"	ST215 / 75R 14C
BG0101	MCF1921	19' - 21'	2750	100"	23' 8"	84"	ST205 / 75R 14C
BG0100	MCV1921	19' - 21'	2750	100"	23' 8"	84"	ST205 / 75R 14C
BG0521	MCF1921	19' - 21'	3060	100"	23' 8"	84"	ST205 / 75R 14C
BG0520	MCV1921	19' - 21'	3060	100"	23' 8"	84"	ST205 / 75R 14C
BG0546	MCF1921	19' - 21'	3400	100"	23' 8"	84"	ST225 / 75R 15D
BG0545	MCV1921	19' - 21'	3400	100"	23' 8"	84"	ST225 / 75R 15D
BG0531	MCF2022	20' - 22'	3040	100"	25' 5"	84"	ST215 / 75R 14C
BG0530	MCV2022	20' - 22'	3040	100"	25' 5"	84"	ST215 / 75R 14C

Tandem Axle Models

Item #	Model	Boat Length	Carry Capacity	Total Width	Total Length	DBF	Tire Size
BG0071	TMCF1719N	17' - 19'	3540	93"	21' 5"	77"	ST175 / 80R 13C
BG0070	TMCV1719N	17' - 19'	3540	93"	21' 5"	77"	ST175 / 80R 13C
BG0083	TMCF1719N	17' - 19'	4400	93"	21' 5"	77"	ST205 / 75R 14C
BG0082	TMCV1719N	17' - 19'	4400	93"	21' 5"	77"	ST205 / 75R 14C
BG0072	TMCF1719	17' - 19'	3540	100"	21' 5"	84"	ST175 / 80R 13C
BG0075	TMCV1719	17' - 19'	3540	100"	21' 5"	84"	ST175 / 80R 13C
BG0103	TMCF1719	17' - 19'	4400	100"	21' 5"	84"	ST205 / 75R 14C
BG0102	TMCV1719	17' - 19'	4400	100"	21' 5"	84"	ST205 / 75R 14C
BG0317-1	TMCF1921N	19' - 21'	5150	93"	23' 8"	77"	ST205 / 75R 14C
BG0317	TMCV1921N	19' - 21'	5150	93"	23' 8"	77"	ST205 / 75R 14C
BG0121	TMCF1921	17' - 19'	4410	100"	21' 5"	84"	ST175 / 80R 13C
BG0120	TMCV1921	17' - 19'	4410	100"	21' 5"	84"	ST175 / 80R 13C
BG0126	TMCF1921	19' - 21'	5150	100"	23' 8"	84"	ST205 / 75R 14C
BG0125	TMCV1921	19' - 21'	5150	100"	23' 8"	84"	ST205 / 75R 14C
BG0173	TMCF2022N	20' - 22'	5970	93"	25' 5"	77"	ST205 / 75R 14C
BG0170-1	TMCV2022N	20' - 22'	5970	93"	25' 5"	77"	ST205 / 75R 14C
BG0161	TMCF2022	20' - 22'	4400	100"	25' 5"	84"	ST175 / 80R 13C
BG0160	TMCV2022	20' - 22'	4400	100"	25' 5"	84"	ST175 / 80R 13C
BG0171	TMCF2022	20' - 22'	5970	100"	25' 5"	84"	ST205 / 75R 14C
BG0170	TMCV2022	20' - 22'	5970	100"	25' 5"	84"	ST205 / 75R 14C
BG0195	TMCF2224	22' - 24'	5720	100"	28' 3"	84"	ST205 / 75R 14C
BG0190	TMCV2224	22' - 24'	5720	100"	28' 3"	84"	ST205 / 75R 14C
BG0221	TMCF2426	24' - 26'	5690	100"	TBA	84"	ST205 / 75R 14C
BG0220	TMCV2426	24' - 26'	5690	100"	TBA	84"	ST205 / 75R 14C
BG0236	TMCF2426	24' - 26'	7800	100"	TBA	84"	ST225 / 75R 15D
BG0235	TMCV2426	24' - 26'	7800	100"	TBA	84"	ST225 / 75R 15D
BG0101	MCF1921	19' - 21'	2750	100"	23' 8"	84"	ST205 / 75R 14C
BG0100	MCV1921	19' - 21'	2750	100"	23' 8"	84"	ST205 / 75R 14C
BG0521	MCF1921	19' - 21'	3060	100"	23' 8"	84"	ST205 / 75R 14C
BG0520	MCV1921	19' - 21'	3060	100"	23' 8"	84"	ST205 / 75R 14C
BG0546	MCF1921	19' - 21'	3400	100"	23' 8"	84"	ST225 / 75R 15D
BG0545	MCV1921	19' - 21'	3400	100"	23' 8"	84"	ST225 / 75R 15D
BG0531	MCF2022	20' - 22'	3040	100"	25' 5"	84"	ST215 / 75R 14C
BG0530	MCV2022	20' - 22'	3040	100"	25' 5"	84"	ST215 / 75R 14C

GALVANIZED MT SERIES



Images shown are for illustrative purposes only. Actual product may vary.

STANDARD FEATURES

- Welded Galvanized Frame
- Spring Axle
- Radial Tires with Galvanized Wheels (Except 12")
- Stainless Steel Bearing Protectors with Spindle Seal
- Fully-Grounded Submersible LED Lighting
- Galvanized Hardware
- Tongue Jack
- Tongue Roller

Item #	Model	Boat Length	Carry Capacity	Total Width	Total Length	DBF	Tire Size
AA2030	MTC14	12' - 14'	1250	55"	15' 9"	40"	480X12B
AB2041	MTC16W	12' - 16'	1250	61"	17' 10"	46"	480X12B
AB2040	MTCV16W	12' - 14'	1250	64"	19'	44"	480X12B
AB2023	MTC16XW	14' - 16'	1500	76"	18'	56"	ST175/80R 13C
AB2043	MTCV16XW	14' - 16'	1500	76"	18'	56"	ST175/80R 13C
AB2026	MTC16XWL	16' - 17'	1500	75"	21'	56"	ST175/80R 13C
AB2045	MTCV16XWL	16' - 17'	1500	80"	21'	60"	ST175/80R 13C

ADDITIONAL OPTIONS

Spare Tire / Galvanized Wheel

Description	Part #
480X12B	TA11201-2
ST175/80R 13C	TA11207-1

Other Options

Description	Part #
PVC Upright Guide Poles	TA11442
T-Bunk on Tongue	TA17005

Spare Tire Mount

Description	Part #
Locking Mount	TA11190
Custom Mount	TA11191

Guide Boards

Description	Part #
MTC14, MTC16W	TA11550
MTC16XW, MTC16XWL	TA11550-1



FOR MORE INFO, VISIT <https://portal.magictilt.com>

GALVANIZED BTV SERIES



STANDARD FEATURES

- Welded Galvanized Tube Frame
- Radial Tires with Galvanized Wheels
- Galvanized Hardware
- Tongue Jack
- Stainless Steel Bearing Protectors with Spindle Seal
- Load Bearing Fenders
- Fully-Grounded Submersible LED Lighting

ADDITIONAL OPTIONS

Spare Tire /Galvanized Wheel

Description	Part #
ST175/80R 13C	TA11207-1
ST205/75R 14C	TA11208
ST215/75R 14C	TA11209

Spare Tire Mount

Description	Part #
Locking Mount	TA11190
Custom Mount	TA11191
Custom Mount with hub	TA11194

Guides

Description	Part #
3' Econo Boards	TA11550
6' Heavy Duty Boards	TA11595
PVC Upright Guide Poles	TA11442

Stabilizer Bunks

Description	Part #
2x4	TA11700
2x6	TA14270



FOR MORE INFO, VISIT <https://portal.magictilt.com>

GALVANIZED BTV SERIES

Single Axle Models

Item #	Model	Boat Length	Carry Capacity	Total Width	Total Length	DBF	Tire Size
JE0050	BTV1517	15' - 17'	1700	83"	20' 3"	66"	ST175/80R 13C
JE0060	BTV1517W	15' - 17'	1700	93"	20' 3"	76"	ST175/80R 13C
JE0055	BTV1517	15' - 17'	2150	83"	20' 3"	66"	ST175/80R 13C
JE0065	BTV1517W	15' - 17'	2150	93"	20' 3"	76"	ST175/80R 13C
JE0057	BTV1517XW	15' - 17'	2150	102"	20' 3"	84"	ST175/80R 13C
JE0100	BTV1719	17' - 19'	2100	94"	20' 9"	77"	ST175/80R 13C
JE0110	BTV1719	17' - 19'	2800	96"	20' 9"	77"	ST205/75R 14C
JE0115	BTV1719	17' - 19'	3100	94"	20' 9"	77"	ST215/75R 14C
JE0118	BTV1719W	17' - 19'	3100	102"	20' 9"	84"	ST215/75R 14C
JE0125	BTV1921	19' - 21'	2800	101"	23' 6"	84"	ST205/75R 14C
JE0135	BTV1921N	19' - 21'	3100	96"	23' 6"	77"	ST215/75R 14C
JE0130	BTV1921	19' - 21'	3100	101"	23' 6"	84"	ST215/75R 14C

Tandem Axle Models

Item #	Model	Boat Length	Carry Capacity	Total Width	Total Length	DBF	Tire Size
JE0140	TBTV1719	17' - 19'	4200	94"	20' 9"	77"	ST175/80R 13C
JE0152	TBTV1921N	19' - 21'	4410	95"	23' 6"	77"	ST175/80R 13C
JE0150	TBTV1921	19' - 21'	4410	101"	23' 6"	84"	ST175/80R 13C
JE0155	TBTV1921	19' - 21'	5150	101"	23' 6"	84"	ST205/75R 14C



GALVANIZED CD SERIES



Images shown are for illustrative purposes only. Actual product may vary.

STANDARD FEATURES

- Welded Galvanized Channel Frame
- Radial Tires with Galvanized Wheels (Except 12")
- Galvanized Hardware
- Tongue Jack
- Stainless Steel Bearing Protectors with Spindle Seal
- Load Bearing Fenders (Except 12")
- Fully-Grounded Submersible LED Lighting

ADDITIONAL OPTIONS

Spare Tire /Galvanized Wheel

Description	Part #
480X12B	TA11201-2
ST175/80R 13C	TA11207-1
ST205/75R 14C	TA11208-1

Spare Tire Mount

Description	Part #
Locking Mount	TA11190
Custom Mount	TA11191

Guides

Description	Part #
3' Econo Boards	TA11550
6' Heavy Duty Boards	TA11595
PVC Upright Guide Poles	TA11442

3' Longer Tongue Models Available



FOR MORE INFO, VISIT <https://portal.magictilt.com>

GALVANIZED CD SERIES

Single Axle Models with 9'6" Tongue

Item #	Model	Boat Length	Carry Capacity	Total Width	Total Length	DBF	Tire Size
LC0570-1	CD16WT	14' - 16'	1240	74"	18' 2"	59"	480X12B
LC0580-1	CDV16WT	14' - 16'	1240	74"	18' 2"	59"	480X12B
LC0590-1	CD16WT	14' - 16'	1800	76"	18' 2"	61"	ST175 / 80R 13C
LC0600-1	CDV16WT	14' - 16'	1800	76"	18' 2"	61"	ST175 / 80R 13C
LC0591-1	CD16WTW	14' - 16'	1790	84"	18' 2"	69"	ST175 / 80R 13C
LC0605-1	CDV16WTW	14' - 16'	1790	84"	18' 2"	69"	ST175 / 80R 13C

Single Axle Models

Item #	Model	Boat Length	Carry Capacity	Total Width	Total Length	DBF	Tire Size
LC0570	CD16WT	14' - 16'	1240	74"	16' 8"	59"	480X12B
LC0580	CDV16WT	14' - 16'	1240	74"	16' 8"	59"	480X12B
LC0590	CD16WT	14' - 16'	1800	76"	16' 8"	61"	ST175 / 80R 13C
LC0600	CDV16WT	14' - 16'	1800	76"	16' 8"	61"	ST175 / 80R 13C
LC0591	CD16WTW	14' - 16'	1790	84"	16' 8"	69"	ST175 / 80R 13C
LC0605	CDV16WTW	14' - 16'	1790	84"	16' 8"	69"	ST175 / 80R 13C
LC0610	CD16H	15' - 17'	1650	76"	20'	61"	ST175 / 80R 13C
LC0620	CDV16H	15' - 17'	1650	76"	20'	61"	ST175 / 80R 13C
LC0615	CD16HW	15' - 17'	1650	84"	20'	69"	ST175 / 80R 13C
LC0625	CDV16HW	15' - 17'	1650	84"	20'	69"	ST175 / 80R 13C
LC0630	CD16H	15' - 17'	2180	76"	20'	61"	ST175 / 80R 13C
LC0640	CDV16H	15' - 17'	2180	76"	20'	61"	ST175 / 80R 13C
LC0635	CD16HW	15' - 17'	2180	84"	20'	69"	ST175 / 80R 13C
LC0645	CDV16HW	15' - 17'	2180	84"	20'	69"	ST175 / 80R 13C
AC0020	CD18N	17' - 19'	1700	67.5"	20' 6"	53"	ST175 / 80R 13C
AC0040	CDV18N	17' - 19'	1700	67.5"	20' 6"	53"	ST175 / 80R 13C
AC0025	CD18N	17' - 19'	2000	67.5"	20' 6"	53"	ST175 / 80R 13C
AC0245	CDV18N	17' - 19'	2000	67.5"	20' 6"	53"	ST175 / 80R 13C
AC0200	CD18NW	17' - 19'	1700	75.5"	20' 6"	61"	ST175 / 80R 13C
AC0210	CDV18NW	17' - 19'	1700	75.5"	20' 6"	61"	ST175 / 80R 13C
AC0244	CD18NW	17' - 19'	2270	75.5"	20' 6"	61"	ST175 / 80R 13C
AC0243	CDV18NW	17' - 19'	2270	75.5"	20' 6"	61"	ST175 / 80R 13C
LC0030	CDF18	17' - 19'	1600	76"	20' 6"	61"	ST175 / 80R 13C
LC0010	CDV18	17' - 19'	1600	76"	20' 6"	61"	ST175 / 80R 13C
LC0070	CDF18	17' - 19'	2100	76"	20' 6"	61"	ST175 / 80R 13C
LC0050	CDV18	17' - 19'	2100	76"	20' 6"	61"	ST175 / 80R 13C
LC0110	CDF18	17' - 19'	2800	76"	20' 6"	61"	ST205 / 75R 14C
LC0090	CDV18	17' - 19'	2800	76"	20' 6"	61"	ST205 / 75R 14C
LC0040	CDF18W	17' - 19'	1600	84"	20' 6"	69"	ST175 / 80R 13C
LC0020	CDV18W	17' - 19'	1600	84"	20' 6"	69"	ST175 / 80R 13C
LC0080	CDF18W	17' - 19'	2100	84"	20' 6"	69"	ST175 / 80R 13C
LC0060	CDV18W	17' - 19'	2100	84"	20' 6"	69"	ST175 / 80R 13C
LC0120	CDF18W	17' - 19'	2800	84"	20' 6"	69"	ST205 / 75R 14C
LC0100	CDV18W	17' - 19'	2800	84"	20' 6"	69"	ST205 / 75R 14C
LC0190	CDF20	18' - 20'	2000	75.5"	22' 9"	61"	ST175 / 80R 13C
LC0170	CDV20	18' - 20'	2000	75.5"	22' 9"	61"	ST175 / 80R 13C
LC0180	CDV20W	18' - 20'	2000	83.5"	22' 9"	69"	ST175 / 80R 13C
LC0210	CDV20	18' - 20'	2800	75.5"	22' 9"	61"	ST205 / 75R 14C
LC0240	CDF20W	18' - 20'	2800	83.5"	22' 9"	69"	ST205 / 75R 14C
LC0220	CDV20W	18' - 20'	2800	83.5"	22' 9"	69"	ST205 / 75R 14C

Tandem Axle Models

Item #	Model	Boat Length	Carry Capacity	Total Width	Total Length	DBF	Tire Size
LC0490	TCDF18	17' - 19'	3500	76"	20' 6"	61"	ST175 / 80R 13C
LC0470	TCDV18	17' - 19'	3500	76"	20' 6"	61"	ST175 / 80R 13C
LC0485	TCD18W	17' - 19'	3500	84"	20' 6"	69"	ST175 / 80R 13C
LC0475	TCDV18W	17' - 19'	3500	84"	20' 6"	69"	ST175 / 80R 13C
LC0495	TCDF18	17' - 19'	4560	76"	20' 6"	61"	ST175 / 80R 13C
LC0496	TCD18W	17' - 19'	4560	84"	20' 6"	69"	ST175 / 80R 13C
LC0324	TCDF20W	18' - 20'	4400	86"	22' 9"	69"	ST205 / 75R 14C

GALVANIZED CHANNEL SKIFF SERIES



Shown w/Optional Yellow Roller

Images shown are for illustrative purposes only. Actual product may vary.

STANDARD FEATURES

- Welded Galvanized Channel Frame
- Radial Tires with Galvanized Wheels (Except 12")
- Galvanized Hardware
- Tongue Jack
- Stainless Steel Bearing Protectors with Spindle Seal
- Load Bearing Fenders (Except 12")
- Fully-Grounded Submersible LED Lighting

ADDITIONAL OPTIONS

Spare Tire /Galvanized Wheel

Description	Part #
480X12B	TA11201-2
ST175/80R 13C	TA11207-1
ST205/75R 14C	TA11208-1

Spare Tire Mount

Description	Part #
Locking Mount	TA11190
Custom Mount	TA11191
Custom Mount with hub	TA11194

Guides Boards

Description	Part #
3' Econo Boards	TA11550
3' Heavy Duty Boards	TA11585-1
6' Heavy Duty Boards	TA11595
PVC Upright Guide Poles	TA11442

4 Board Setup (Upright)

Description	Part #
SKT16	TA30295
SKT18	TA30296
SKT20	TA30297

Bow Roller Upgrades

Description	Part #
3" Yellow Bow Roller	TA11452-8
8" Poly Rollers	TA11452-9

Plastic Covers for Bunks (per pair)

Description	Part #
SKT16	TA30284
SKT18	TA30285
SKT20	TA30286

SKT Bunk Bracket Upgrade

Description	Part #
SKT16	TA30295
SKT18	TA30296
SKT20	TA30297



FOR MORE INFO, VISIT <https://portal.magictilt.com>

GALVANIZED CHANNEL SKIFF SERIES

Single Axle Models with Side Guide Boards

Item #	Model	Boat Length	Carry Capacity	Total Width	Total Length	DBF	Tire Size
AC0300	SK1719	17' - 19'	1900	84"	20' 6"	69"	ST175/80R 13C
AC0329	SKT1651G	15' - 16'	1200	65.5"	18' 10"	51"	480 X 12B
AC0330	SKT1651G	15' - 16'	1500	65.5"	18' 10"	54"	ST175/80R 13C
AC0331	SKTV1651G	15' - 16'	1500	65.5"	18' 10"	54"	ST175/80R 13C
AC0333	SKT1660G	15' - 16'	1500	74"	18' 10"	64"	ST175/80R 13C
AC0334	SKTV1660G	15' - 16'	1500	74"	18' 10"	64"	ST175/80R 13C
AC0320	SKT1670G	15' - 16'	1500	84.5"	18' 10"	76"	ST175/80R 13C
AC0336	SKT1851G	17' - 18'	1200	65.5"	20' 10"	51"	480 X 12B
AC0335	SKT1851G	17' - 18'	1700	65.5"	20' 10"	54"	ST175/80R 13C
AC0337	SKTV1851G	17' - 18'	1700	65.5"	20' 10"	54"	ST175/80R 13C
AC0340	SKT1860G	17' - 18'	2200	74"	20' 10"	64"	ST175/80R 13C
AC0342	SKTV1860G	17' - 18'	2200	74"	20' 10"	64"	ST175/80R 13C
AC0341	SKT1860G	17' - 18'	2800	77"	20' 10"	64"	ST205/75R 14C
AC0349	SKTV1860G	17' - 18'	2800	77"	20' 10"	64"	ST205/75R 14C
AC0338	SKT1865G	17' - 18'	2200	82"	20' 10"	69"	ST175/80R 13C
AC0339	SKT1865G	17' - 18'	2800	82"	20' 10"	69"	ST205/75R 14C
AC0357	SKT1870G	17' - 18'	2200	87"	20' 10"	76"	ST175/80R 13C
AC0350	SKT1870G	17' - 18'	2800	87"	20' 10"	76"	ST205/75R 14C
AC0348	SKTV1870G	17' - 18'	2800	87"	20' 10"	76"	ST205/75R 14C
AC0343	SKT2051G	19' - 20'	2200	65.5"	22' 10"	54"	ST175/80R 13C

Single Axle Models

Item #	Model	Boat Length	Carry Capacity	Total Width	Total Length	DBF	Tire Size
LD0020	SK1455	14' - 16'	1200	62"	17' 3"	48"	480 X 12B
LD0027	SK1650	12' - 16'	1200	54"	17' 6"	39"	480 X 12B
LD0040	SK1655	14' - 16'	1200	62"	17' 3"	48"	480 X 12B
LD0100	SK1765	16' - 17'	1700	77"	19' 3"	61"	ST175/80R 13C
LE0080	SK1765H	16' - 17'	1700	77"	19' 7"	61"	ST175/80R 13C
LE0090	SK1965H	18' - 19'	2100	85"	22' 6"	69"	ST175/80R 13C
LE9000	SK1982	18' - 19'	1700	98"	21' 7"	82"	ST175/80R 13C
LE9001	SK1982	18' - 19'	2100	98"	21' 7"	82"	ST175/80R 13C
LE9002	SK1982H	18' - 19'	2900	100"	21' 5"	84"	ST205/75R 14C
LE0002	SK2182	20' - 21'	2100	100"	23' 8"	84"	ST175/80R 13C
LE0003	SK2182	20' - 21'	2900	100"	23' 8"	84"	ST205/75R 14C
LE0006	SK2482	22' - 24'	2830	100"	28' 1"	84"	ST205/75R 14C

Tandem Axle Models

Item #	Model	Boat Length	Carry Capacity	Total Width	Total Length	DBF	Tire Size
LE9004	TSK1982H	18' - 19'	4400	100"	21' 5"	84"	ST175/80R 13C
LE0004	TSK2182	20' - 21'	4100	100"	23' 8"	84"	ST175/80R 13C
LE0007	TSK2482	22' - 24'	4100	100"	28' 1"	84"	ST175/80R 13C
LE0008	TSK2482	22' - 24'	4500	100"	28' 1"	84"	ST205/75R 14C

GALVANIZED JBV SERIES



Images shown are for illustrative purposes only. Actual product may vary.

STANDARD FEATURES

- Welded Galvanized Channel Frame
- Galvanized Hardware
- Radial Tires with Galvanized Wheels (Except 12")
- Stainless Steel Bearing Protectors with Spindle Seal
- Fully-Grounded Submersible LED Lighting
- Load Bearing Fenders (Except 12")
- Tongue Jack

Item #	Model	Boat Length	Carry Capacity	Total Width	Total Length	DBF	Tire Size
KA0701	JBV1517	13' - 17'	1500	85"	18' 3"	71"	480X12B
KA0702	JBV1517W	13' - 17'	1200	87"	18' 3"	76"	480X12B
KA0704-1	JBV1517W	13' - 17'	2000	87"	18' 3"	74"	ST175/80R 13C

ADDITIONAL OPTIONS

Spare Tire / Galvanized Wheel

Description	Part #
480X12B	TA11201-2
ST175/80R 13C	TA11207-1

Spare Tire Mount

Description	Part #
Locking Mount	TA11190
Custom Mount	TA11191

Guide Boards

Description	Part #
3' Econo Boards	TA11550
3' Heavy Duty Boards	TA11585-1

Other Options

Description	Part #
PVC Upright Guide Poles	TA11442

Stabilizer Bunks

Description	Part #
2x4	TA11700
2x6	TA14270



FOR MORE INFO, VISIT <https://portal.magictilt.com>

KAYAK SERIES



Images shown are for illustrative purposes only. Actual product may vary.

STANDARD FEATURES

- Welded Galvanized or Aluminum Frame
- Galvanized Hardware
- Bias Tires with Galvanized Wheels
- Stainless Steel Bearing Protectors with Spindle Seal
- Fully-Grounded Submersible LED Lighting
- Tongue Jack

Galvanized Models

Item #	Model	Boat Length	Carry Capacity	Total Width	Total Length	DBF	Tire Size	Tongue Size
KA0010	DUAL KAYAK	8' - 16'	1200	73"	14'10"	39"	480 X 12B	2X3
KA0020	QUAD KAYAK	8' - 16'	1200	73"	14'10"	39"	480 X 12B	2X3

Aluminum Models

Item #	Model	Boat Length	Carry Capacity	Total Width	Total Length	DBF	Tire Size	Tongue Size
FA9260	DUAL KAYAK	8' - 16'	1050	73"	14'10"	39"	480X12B	2X3
FA9265	QUAD KAYAK	8' - 16'	1000	73"	14'10"	39"	480X12B	2X3

ADDITIONAL OPTIONS

Spare Tire / Galvanized Wheel

Description	Part #
480 X 12B	TA11201-2

Spare Tire Mount

Description	Part #
Locking Mount	TA11190



FOR MORE INFO, VISIT <https://portal.magictilt.com>

CRADLES & YARD DOLLIES



Images shown are for illustrative purposes only. Actual product may vary.

STANDARD FEATURES

- Welded Galvanized or Aluminum Frame
- Catamaran Cradle w/Tunnel Guides and Carpeted Bunks
- Pontoon or Tritoon Cradle w/UMHW Plastic Covered Bunks
- Showroom Dolly w/Carpeted Bunks
- Ideal for Dry Storage



PV2323 DOLLY



FOR MORE INFO, VISIT <https://portal.magictilt.com>

CRADLE & YARD DOLLIES

Galvanized Dollies

Item #	Model	Boat Length	Carry Capacity	Total Width	Total Length
PV2310	SINGLE AXLE BOAT DOLLY	16'-18'	2690	58"	261"
PV2320	TDM AXLE BOAT DOLLY	22'-24'	5600	58"	292"
PV2322	TRI AXLE BOAT DOLLY	24'-26'	8700	58"	306"
PV2323	TRI AXLE BOAT DOLLY	26'-28'	14000	60"	342"
PV2323-1	TRI AXLE BOAT DOLLY	35'-40'	22000	64"	516"
PV2323-3	TRI AXLE BOAT DOLLY	35'-40'	25000	64"	516"

Galvanized Catamaran Cradles

Item #	Model	Boat Length	Carry Capacity	Total Width	Total Length
PV2371-G	CAT CRADLE 26'	24' - 26'	10000	90"	164"
PV2372-G	CAT CRADLE 29'	27' - 29'	10000	90"	192"
PV2372-1G	CAT CRADLE 30'	28' - 30'	12000	96"	192"
PV2373-G	CAT CRADLE 33'	31' - 33'	12000	108"	228"
PV2373-1G	CAT CRADLE 36'	33' - 36'	12000	108"	288"

Aluminum Catamaran Cradles

Item #	Model	Boat Length	Carry Capacity	Total Width	Total Length
PV2371-A	CAT CRADLE 26'	24' - 26'	10000	102"	216"
PV2372-A	CAT CRADLE 29'	27' - 29'	10000	102"	216"
PV2372-1A	CAT CRADLE 30'	28' - 30'	10000	102"	240"

Galvanized Pontoon Cradles

Item #	Model	Boat Length	Carry Capacity	Total Width	Total Length
PV2371-GP	PONTOON CRADLE 26'	24' - 26'	10000	90"	164"
PV2372-GP	PONTOON CRADLE 29'	27' - 29'	10000	90"	192"
PV2372-1GP	PONTOON CRADLE 30'	28' - 30'	12000	96"	192"
PV2373-GP	PONTOON CRADLE 33'	31' - 33'	12000	108"	228"
PV2373-1GP	PONTOON CRADLE 36'	33' - 36'	12000	108"	288"

Aluminum Pontoon Cradles

Item #	Model	Boat Length	Carry Capacity	Total Width	Total Length
PV2371-AP	PONTOON CRADLE 26'	24' - 26'	10000	102"	216"
PV2372-AP	PONTOON CRADLE 29'	27' - 29'	10000	102"	216"
PV2372-1AP	PONTOON CRADLE 30'	28' - 30'	10000	102"	240"

Galvanized Tritoon Cradles

Item #	Model	Boat Length	Carry Capacity	Total Width	Total Length
PV2371-GPT	TRITOON CRADLE 26'	24' - 26'	10000	90"	164"
PV2372-GPT	TRITOON CRADLE 29'	27' - 29'	10000	90"	192"
PV2372-1GPT	TRITOON CRADLE 30'	28' - 30'	12000	96"	192"
PV2373-GPT	TRITOON CRADLE 33'	31' - 33'	12000	108"	228"
PV2373-1GPT	TRITOON CRADLE 36'	33' - 36'	12000	108"	288"

Aluminum Tritoon Cradles

Item #	Model	Boat Length	Carry Capacity	Total Width	Total Length
PV2371-GPT	TRITOON CRADLE 26'	24' - 26'	10000	90"	164"
PV2372-GPT	TRITOON CRADLE 29'	27' - 29'	10000	90"	192"
PV2372-1GPT	TRITOON CRADLE 30'	28' - 30'	12000	96"	192"

GALVANIZED CHANNEL PONTOON SERIES



Images shown are for illustrative purposes only. Actual product may vary.

STANDARD FEATURES

- Welded Galvanized Channel Frame
- Radial Tires with Galvanized Wheels
- Galvanized Hardware
- Tongue Jack
- Marine Grade Plastic Covered Bunks
- Stainless Steel Spindle Seals & Dust Caps
- Torsion Axle
- Boarding Ladder with Handrail
- Inside Guide Posts w/PVC
- Fully-Grounded Submersible LED Lighting

Item #	Model	Boat Length	Carry Capacity	Total Width	Total Length	Tire Size
IA1040	P1620[25]	16' - 20'	2300	96"	296"	185/80R 13D
IA1060	TP1620[25]	16' - 20'	4400	96"	296"	175/80R 13C
IA1240	TP2024[25]	20' - 24'	4400	96"	349"	175/80R 13C

ADDITIONAL OPTIONS

Spare Tire /Galvanized Wheel

Description	Part #
ST175/80R 13C	TA11207-1
ST185/80R 13D	TA11207-3

Spare Tire Mount

Description	Part #
Custom Mount	TA11191

Tritoon Bunk Upgrade

Description	Part #
P1620 / TP1620	TA17092
TP2024	TA17094

Additional Options

Description	Part #
2500# Tongue Jack with Foot Upgrade	TA11884
Elliptical Bunk Bracket Upgrade (each)	TA11767



FOR MORE INFO, VISIT <https://portal.magictilt.com>

GALVANIZED CHANNEL PONTON SERIES



Images shown are for illustrative purposes only. Actual product may vary.

STANDARD FEATURES

- Welded Galvanized Channel Frame
- Stainless Steel Bearing Protectors w/Spindle Seal
- Radial Tire with Galvanized Wheels (except 12")
- Boarding Ladder with Handrail
- Spring Axle
- Galvanized Hardware
- Marine Grade Plastic Covered Bunks
- Tongue Jack
- Inside Guide Posts w/PVC
- Fully-Grounded Submersible LED Lighting

Tandem Axle Models

Item #	Model	Boat Length	Carry Capacity	Total Width	Total Length	Tire Size
IA1237	TP2527-44	25' - 27'	4400	94.5"	31'	ST175/80R 13C
IA1239	TP2527-50	25' - 27'	5000	94.5"	31'	ST185/80R 13D

Sponson Center Line

Minimum 71" - Maximum 79"

ADDITIONAL OPTIONS

Spare Tire / Galvanized Wheel

Description	Part #
ST175/80R 13C	TA11207-1
ST185/80R 13D	TA11207-3

Tritoon Bunk Upgrade

Description	Part #
TP2527	TA17096

Spare Tire Mount

Description	Part #
Custom Mount	TA11191

Additional Options

Description	Part #
2500# Tongue Jack with Foot Upgrade	TA11884



FOR MORE INFO, VISIT <https://portal.magictilt.com>

GALVANIZED CHANNEL PONTOON SERIES

Single Axle Models

Item #	Model	Boat Length	Carry Capacity	Total Width	Total Length	Tire Size
IA0003	P1416B	14' - 16'	1200	90"	17' 4"	480 X 12B
IA0004	P1416B	14' - 16'	1700	90"	17' 4"	ST205/65R 10E
IA0006	P1518B	15' - 18'	1200	90"	19' 4"	480 X 12B
IA0007	P1518B	15' - 18'	1700	90"	19' 4"	ST205/65R 10E
IA0008	P1518B	15' - 18'	1700	90"	19' 4"	ST175/80R 13C

Tandem Axle Models

Item #	Model	Boat Length	Carry Capacity	Total Width	Total Length	Tire Size
IA0240	TP2428B	24' - 28'	3560	90"	29' 11"	ST205/65R 10E
IA0600	TP2428B	24' - 28'	5370	90"	29' 11"	ST205/65R 10E
IA0610	TP2428B	24' - 28'	6100	90"	29' 11"	ST215/75R 14C
IA0612	TP2428B XW	24' - 28'	6100	102"	29' 11"	ST215/75R 14C
IA0262	TP2832B	28' - 32'	3640	90"	29' 11"	ST205/65R 10E
IA0263	TP2832B	28' - 32'	4840	90"	34' 11"	ST205/65R 10E
IA0261	TP3436B XW	34' - 36'	6000	102"	42' 6"	ST215/75R 14C

Triple Axle Models

Item #	Model	Boat Length	Carry Capacity	Total Width	Total Length	Tire Size
IA0650	TTP2428B	24' - 28'	5830	90"	29' 11"	ST205/65R 10E
IA0655	TTP2428B	24' - 28'	7000	90"	29' 11"	ST205/65R 10E
IA0658	TTP2428B XW	24' - 28'	7000	102"	29' 11"	ST205/65R 10E
IA0253	TTP2832B	28' - 32'	6020	90"	34' 11"	ST205/65R 10E
IA0255	TTP2832B	28' - 32'	7000	90"	34' 11"	ST205/65R 10E
IA0258	TTP2832B XW	28' - 32'	6000	90"	34' 11"	ST175/80R 13C
IA0259	TTP2832B XW	28' - 32'	7000	90"	34' 11"	ST205/65R 10E
IA0260	TTP2832B XW	28' - 32'	9000	90"	34' 11"	ST215/75R 14C
IA0275	TTP3236B XW	32' - 36'	7500	96"	40' 6"	ST205/65R 10E
IA0276	TTP3236B XW	32' - 36'	7500	96"	40' 6"	ST185/80R 13D
IA0268	TTP3436B XW	34' - 36'	7000	102"	42' 6"	ST175/80R 13C

Sponson Center Line Maximum 80"
Sponson Center Line TTP3236XW Models Maximum 92"
Sponson Center Line XW Models Maximum 98"

ALUMINUM CRT PONTOON SERIES



Images shown are for illustrative purposes only. Actual product may vary.

STANDARD FEATURES

- Welded Aluminum Custom Reinforced Tube (CRT) Frame
- Welded Aluminum Cross Members
- Torsion Axle
- Adjustable Undercarriage (T-Slot)
- Radial Tires w/ Galvanized Wheels
- Stainless Steel Bearing Protectors w/ Spindle Seal
- Stainless Steel Hardware
- Tongue Jack
- Boarding Ladder w/ Handrail
- Marine Grade Plastic Covered Bunks
- PVC Upright Guides
- Fully Grounded Submersible LED Lighting

Sponson Center Line

Minimum 70.5" - Maximum 79"

ADDITIONAL OPTIONS

Spare Tire / Galvanized Wheel

Description	Part #
205/65R 10E	TA11205-1
ST185/80R 13D	TA11204-1
ST205/75R 14C	TA11208-1
ST215/75R 14C	TA11209-1
ST225/75R 15D	TA11212-1

Spare Tire Mount

Description	Part #
Custom Mount	TA11191

Aluminum Wheels (each)

Description	Part #
13" Wheels	TA11302-T07
14" Wheels	TA11304-T03
15" Wheels	TA11308-T03

Additional Options

Description	Part #
Swap Guide Poles to Inside Guide Posts	TA11956
Elliptical Bunk Bracket Upgrade (each)	TA11764
Retractable Transom Tiedown (Stainless Steel)	TA30098

Tritoon Bunk Upgrade

Description	Part #
P1416A	TA30062-5
P1618A	TA30062
TP2024A	TA30062-1
TP2428A / TTP2428A	TA30069-8
TTP2832A	TA30069-5
TTP3436	TA30062-4



FOR MORE INFO, VISIT <https://portal.magictilt.com>


ALUMINUM CRT PONTOON SERIES

Single Axle Models

Item #	Model	Boat Length	Carry Capacity	Total Width	Total Length	Tire Size
FA1875	P1618A	16' - 18'	2300	102"		ST185/80R 13D
FA1881	P1620A	16' - 20'	2300	102"	26' 3"	ST185/80R 13D
FA1879	P1620A	16' - 20'	2800	102"	26' 3"	ST205/75R 14C
FA1878	P1822A	18' - 22'	2300	102"	27' 4"	ST185/80R 13D
FA1895	P1822A	18' - 22'	2800	102"	27' 4"	ST205/75R 14C

Tandem Axle Models

Item #	Model	Boat Length	Carry Capacity	Total Width	Total Length	Tire Size
FA1880	TP1620A	16' - 20'	4400	102"	26' 3"	ST175/80R 13C
FA1885	TP1822A	18' - 22'	4400	102"	27' 4"	ST175/80R 13C
FA1886	TP1822A	18' - 22'	5200	102"	27' 4"	ST205/75R 14C
FA1890	TP2024A	20' - 24'	4400	102"	30'	ST175/80R 13C
FA1894	TP2024A	20' - 24'	5200	102"	30'	ST205/75R 14C



ALUMINUM I-BEAM PONTOON SERIES



STANDARD FEATURES

- Welded Aluminum I-Beam Frame
- Welded Aluminum Cross Members
- Spring Axle
- Boarding ladder with Handrail
- Radial Tires w/Galvanized Wheels
- Stainless Steel Bearing Protectors w/Spindle Seal
- Tongue Jack
- Marine Grade Plastic Covered Bunks
- PVC Upright Guides
- Fully Grounded Submersible LED Lighting

Sponson Center Line

Minimum 70.5" - Maximum 79"

ADDITIONAL OPTIONS

Spare Tire /Galvanized Wheel

Description	Part #
205/65R 10E	TA11205-1
ST185/80R 13D	TA11204-1
ST205/75R 14C	TA11208-1
ST215/75R 14C	TA11209-1
ST225/75R 15D	TA11212-1

Spare Tire Mount

Description	Part #
Custom Mount	TA11191

Aluminum Wheels (each)

Description	Part #
13" Wheels	TA11302-T07
14" Wheels	TA11304-T03
15" Wheels	TA11308-T03

Additional Options

Description	Part #
Swap Guide Poles to Inside Guide Posts	TA11956
Elliptical Bunk Bracket Upgrade (each)	TA11764
Retractable Transom Tiedown (Stainless Steel)	TA30098

Tritoon Bunk Upgrade

Description	Part #
P1416A	TA30062-5
P1618A	TA30062
TP2024A	TA30062-1
TP2428A / TTP2428A	TA30069-8
TTP2832A	TA30069-5
TTP3436	TA30062-4



FOR MORE INFO, VISIT <https://portal.magictilt.com>

ALUMINUM I-BEAM PONTON SERIES

Single Axle Models

Item #	Model	Boat Length	Carry Capacity	Total Width	Total Length	Tire Size
FA1812	P1416A	14' - 16'	2300	102"	21'	ST205/65R 10E
FA1814	P1416A	14' - 16'	2300	102"	21'	ST185/80R 13D
FA1808	P1618A	16' - 18'	2300	102"	23'	ST205/65R 10E
FA1810	P1618A	16' - 18'	2300	102"	23'	ST185/80R 13D

Tandem Axle Models

Item #	Model	Boat Length	Carry Capacity	Total Width	Total Length	Tire Size
FA1842	TP2024A	20' - 24'	6100	102"	30'	ST215/75R 14C
FA1834	TP2428A	24' - 28'	5200	102"	33'	ST205/65R 10E
FA1836	TP2428A	24' - 28'	5200	102"	33'	ST205/75R 14C
FA1837	TP2428A	24' - 28'	6100	102"	33'	ST215/75R 14C
FA1835	TP2428A	24' - 28'	8200	102"	33'	ST225/75R 15D

Triple Axle Models

Item #	Model	Boat Length	Carry Capacity	Total Width	Total Length	Tire Size
FA1838	TTP2428A	24' - 28'	7000	102"	33'	ST205/65R 10E
FA1839	TTP2428A	24' - 28'	8200	102"	33'	ST205/65R 10E
FA1844	TTP2428A	24' - 28'	8200	102"	33'	ST205/75R 14C
FA1845	TTP2832A	28' - 32'	8000	102"	38' 6"	ST205/65R 10E
FA1846	TTP2832A	28' - 32'	8500	102"	38' 6"	ST205/75R 14C
FA1847	TTP2832A	28' - 32'	11000	102"	38' 6"	ST225/75R 15D
FA1865	TTP3436A	34' - 36'	11000	102"	44' 6"	ST225/75R 15D
FA1866	TTP3436A	34' - 36'	8500	102"	44' 6"	ST205/75R 14C

Please note:

Torsion axle upgrades are unavailable for trailers with 10" tires and brakes

GALVANIZED PWC SERIES



Images shown are for illustrative purposes only. Actual product may vary.

STANDARD FEATURES

- Welded Galvanized Frame
- Spring Axle
- Bias Tires w/ Galvanized Wheels
- Sure Lube Wheel Bearing Grease System
- Tongue Jack
- Fully Grounded Submersible LED Lighting

Multi-Hauler is Equipped with Radial Tires and Stainless Steel Bearing Protectors with Spindle Seal

Item #	Model	Boat Length	Carry Capacity	Total Width	Total Length	DBF	Tire Size	Suspension	Tongue Size
KA1614	PWC1250	9' - 12'	1250	60"	13' 9"	45.5"	480 X 12B	SPRING	3X3X4' 6"
KA0500	MULTI-WATERCRAFT HAULER [4]	6' - 10'	3650	90"	29' 11"	N/A	ST205/65R 10E	SPRING	3X4X12'



FOR MORE INFO, VISIT <https://portal.magictilt.com>

ALUMINUM PWC/DWC SERIES



Images shown are for illustrative purposes only. Actual product may vary.

STANDARD FEATURES

- Welded Custom Reinforced Tube (CRT) Frame
- Adjustable Undercarriage (T-Slot) w/ Stainless Steel Hardware
- Stainless Steel Bearing Protectors w/ Spindle Seal
- Fully Grounded Submersible LED Lighting
- Radial Tires w/ Galvanized Wheels (Except 12")
- Torsion Axle
- Load Bearing Fenders (Except 12")
- Tongue Jack

Multi-Hauler is Equipped with Spring Axles and Stainless Steel Bearing Protectors with Spindle Seal

Personal Watercraft

Item #	Model	Boat Length	Carry Capacity	Total Width	Total Length	DBF	Tire Size	Suspension
FA9110	PWCV1250A	8' - 12'	1250	60"	172"	46"	480X12B	Torsion
FA9110-AW	PWCV1250AW	8' - 12'	1250	60"	172"	46"	480X12B	Torsion
FA9115	PWCV1500A	8' - 12'	1500	60"	172"	46"	ST175/80R 13C	Torsion
FA9115-AW	PWCV1500AW	8' - 12'	1500	60"	172"	46"	ST175/80R 13C	Torsion

Double Watercraft

Item #	Model	Boat Length	Carry Capacity	Total Width	Total Length	DBF	Tire Size	Suspension
FA9105	DWC2500A	8' - 12'	2500	102"	201"	82"	ST185/80R 13C	Torsion
FA9105-AW	DWC2500A-AW	8' - 12'	2500	102"	201"	82"	ST185/80R 13C	Torsion

Multi-Hauler

Item #	Model	Boat Length	Carry Capacity	Total Width	Total Length	DBF	Tire Size	Suspension
FA1860	MULTI-WATERCRAFT HAULER (4)	6' - 10'	4400	102"	33'	N/A	ST175/80R 13C	Spring

Additional Options

Description	Part #
Walk board for Multi-Hauler	TA17099



FOR MORE INFO, VISIT <https://portal.magictilt.com>

ALUMINUM SWITCH SERIES



Images shown are for illustrative purposes only. Actual product may vary.

STANDARD FEATURES

- Welded Custom Reinforced Tube (CRT) Frame
- Adjustable Undercarriage (T-Slot) w/Stainless Steel Hardware
- Sure Lube Wheel Bearing Grease System
- Fully Grounded Submersible LED Lighting
- Radial Tires w/Galvanized Wheels
- Torsion Axle
- Boarding Ladder with Handrail
- Tongue Jack

Item #	Model	Total Width	Total Length	Tire Size
FA2050	SEA DOO SWITCH 13	99.5"	15' 3"	185/80R 13C
FA2053	SEA DOO SWITCH 16	99.5"	18' 4"	185/80R 13D
FA2056	SEA DOO SWITCH 19	101.5"	21' 5"	205/75R 14C



FOR MORE INFO, VISIT <https://portal.magictilt.com>